

**Connecting Bluetooth Scanner**

Connecting Bluetooth Scanner ..... 1

    Scanner ..... 2

    iPad Settings ..... 4

Troubleshooting ..... 7

    Scanner Reset ..... 7

    iPhone Mode ..... 8

Scanner

The following steps need to be used to connect the KoamTac Scanner to the iPad.



When the KoamTac Scanner is first viewed it will have a blank display. On the left hand side of the scanner there are two buttons that control the menu functions of the scanner. Push both buttons in at the same time to get the Menu Screen to appear.



Once in the Menu Screen press the lower of the two Menu Control Buttons to scroll through the Menu Options. The large button under the display, will be used to select an option. Scroll until a function called "BT Service" is highlighted.



Once the “BT Service” Function is reached use the large button on the face of the scanner to select the function.



After selecting the Bluetooth Services (BT Service) Menu, scroll down to Pairing. Then press the large button on the face of the scanner to start pairing. This function does have a timeout feature, so make sure the iPad is readily available to be paired with; see the next few steps for where the Bluetooth Settings are in the iPad.



Once the steps are taken on the iPad to connect the scanner the scanner will show an alert that it has been connected to an iPhone/iPad.

Congratulations, the scanner is ready to start scanning.

## iPad Settings



To pair the Bluetooth scanner to the iPad go to Settings and select the General Tab. In the General Settings, in the third section, select Bluetooth. Preview the screen below to see the Bluetooth Settings. The “KDC” Scanner shows up in the Devices List with the model of the scanner and serial number in brackets. The serial number is found on the backside of the scanner below the barcode. If there are multiple scanners it will need to be confirmed which serial number is currently connecting to the iPad. This is where the scanner needs to be in pairing mode, and then tap the KDC item in the list.






When the devices are pairing a circle renders on the device selected. The screenshot below shows the scanner is now connected. This step is where the connected will also appear on the scanner.




When the iFurniture application is opened, after connecting the scanner to the iPad, the connected scanner will also show on the screen. If nothing appears confirm the scanner option is on in the application.




# Troubleshooting

## Scanner Reset

**Please do not reset the scanner unless instructed to do so by Furniture Wizard Technical Support Staff.**



To reset the Scanner from the Scanner Main Menu scroll down and select System Configuration, once it is selected scroll down the next menu until Fac. Default is highlighted. After highlighting Fac. Default press the large button on the front of the scanner to select the option. This will reset the Scanner to the original Factory Default settings.



It will prompt for confirmation with the Yes & Exit command. Once you select this it will go through an updating routine.

Now that the scanner has been reset Furniture Wizard Technical Support Staff will need to specify that the Scanner is in iPhone Mode.

## iPhone Mode



To reset the Scanner, from the Scanner Main Menu scroll down and select BT Config. After selecting BT Config highlight the first option, Connect Device. Next, scroll down the menu and select iPhone. When iPhone has been properly selected it will display an asterisk next to it. Lastly, scroll down the menu and select Save & Exit.

